



A registered trademark of SNA Europe Group

Tool Solutions



1475K SERIES

The Storage Master

3

» STRONG, RELIABLE AND METICULOUSLY DESIGNED

Bahco's broad and now improved range of HEAVY-DUTY trolleys have been designed to meet a wide variety of user needs. They are available in DIFFERENT SIZES, with DIFFERENT numbers of DRAWERS, TOP QUALITY materials and COLOURS.

DRAWERS

Ball bearing slides.
Full opening drawers.
A load capacity of 45 kg per drawer.

FOAM INLAY SYSTEM

Allows users to create the trolley that suits their precise preferences by choosing tool compositions adapted to their specific, individual needs.

LOCK & GO!

The Lock & Go system secures the drawers automatically when closed.

DOUBLE WALL FRAME

Drawers and slides function as normal even if the frame gets damaged.

STAINLESS STEEL TOP

RUBBER TOP

WOODEN TOP

SNAWT1470 (26" trolleys)
SSNAWT1475 (40" trolleys)

LOCKING SYSTEM

Central Locking System with tubular keys.
More than 210 keys available.

ALUMINIUM BRUSHED HANDLES

Easy to clean, lightweight handles.

SUPERIOR QUALITY PAINT

Shiny, scratch-resistant paint.

ENHANCED PRECISION WHEELS

Robust wheels, two fixed and two swivelling with brakes. Good stability, easy to move and secure with non marking rubber.

Dimensions:
125 x 50 mm (26" trolleys)
150 x 50 mm (40" trolleys)

» ACCESSORIES FOR 1475K and 1470K

Slots & Dots Wall
1470K-ACSIDE

Foldable Tray
1470K-AC1

Tool holder
1470K-AC2

Can Holder
1470K-AC3

Document Holder
1470K-AC4

Dividers

Drawer Liners
1470KAC01

1470K SERIES

Tool Trolleys & Top Chest

>> PERFORMANCE IS CONVINCING



Round key locking system.
Strong keys and locking mechanism.



Double wall frame.
Drawers and slides work even if the frame gets damaged.



Heavy duty construction with strong reinforcement in key areas.
Total static load capacity: 600 kg



Click/detent closing system at the end of slides. This prevents the drawers from opening when moving.



Drawer dimensions:
Hx543x445 mm.
Storage capacity: 0.157m³



Wheels 30x125 mm, ball bearings,
2 fixed and 2 swivel with brake.
Good stability, easy to move and secure.
Non marking rubber.



1470K5	954 x 677 x 501	1 x 65,5 2 x 131 2 x 196,5	53,06 x 543 x 445 118,57 x 543 x 445 184,07 x 543 x 445	62
1470K6	954 x 677 x 501	3 x 65,5 2 x 131 1 x 262	53,06 x 543 x 445 118,57 x 543 x 445 249,58 x 543 x 445	66
1470K7	954 x 677 x 501	5 x 65,5 1 x 131 1 x 262	53,06 x 543 x 445 118,57 x 543 x 445 249,58 x 543 x 445	68
1480K4	398 x 677 x 501	3 x 65,5 1 x 131	53,06 x 543 x 445 118,57 x 543 x 445	40

ROLL CARTS

>> MULTIFUNCTIONAL ROLL CART

3 DRAWERS, 2 TRAYS

210
kg
MAX



Large foldable tray



Aluminium U shape
two structures




Internal
drawer locking



2 gas springs



Round key
locking system



Lockable
tool holder



Click/detent system
and 100% opening
ball bearings



Stable wheels
with break

>> 2 AND 3 TRAY ROLL CART

210
kg
MAX



Stable wheels
with break



Aluminium U shape
two structures

1470KC3	3	1315 x 440 x 1025	675 x 375 x 40	30	25 x 100	25.5
1470KC2	2	1315 x 440 x 1025	675 x 375 x 40	30	25 x 100	19.0

MASTER TROLLEYS

Wide variety of colours available

7



1475K SERIES

12 985X1016X501 1 x 131
4 x 65,5 2 x 65,5 1.100 137
1 x 131 2 x 131
1 x 196,5 1 x 196,5



8 955X677X501 6 x 65,5 1.100 80
1 x 131
1 x 196,5



7 985X1016X501 3 x 65,5 1.100 103 / 115*
4 x 131



6 985X1016X501 2 x 65,5 1.100 100 / 112*
3 x 131
1 x 196,5




1470K SERIES

Go to page 4 for further details



ROLL CARTS

Go to page 5 for further details



Trolley models available with wooden top.
Upon request only, using references containing TW*.

TOOL TROLLEY COMPOSITIONS

9

>> SOLUTIONS FOR ALL USER NEEDS

Bahco offers premium hand tools, quality tool storage and a wide assortment of inlays to suit every need. Foam inlay system allows a neat and tidy organization of tools. They are suitable for Bahco Series 1475K and 1470K tool trolleys.



Each tool has its own place with a distinct colour mark, which makes a missing tool easy to detect.

COMPOSITIONS

124 PCS For general purpose Metric



FF1A01



FF1A02

173 PCS For general purpose Metric



FF1A04



FF1A05

279 PCS For general purpose Metric



FF1A08



FF1A09

248 PCS For aviation mechanics. Suitable for all airplanes. Inch



FF1A13



FF1A14

CHARACTERISTICS


- Fit all 1475K and 1470K tool trolleys
- Facilitate tool control and missing item identification
- Resistant to skydrol, petrol, diesel, water and UV
- Specially designed for optimum tool protection
- Soft material which does not fracture
- Environmentally friendly foams, complying with EU requirements



FF1A03



FF1A06



FF1A07



FF1A10



FF1A11



FF1A12



FF1A15



FF1A16



FF1A17



FF1A18








METALLIC CASES & COMPOSITIONS

BAHCO AEROSPACE CONCEPT

Safety that gives your service the edge

Tough demands deserve the best solutions. So when major airlines choose Bahco aerospace working tools they choose them for their precision and reliability. You don't get second chances when you are tens of thousands of feet above ground. Our reputation for exacting precision and quality ensures tools that have been exhaustively tested to meet the toughest quality requirements of the aerospace industry.

	#	 mm	 mm	 mm	 kg
1483K2RB	2	523x257x247	455x208x39	520x250x60	9,00
1483K3RB	3	523x257x300	455x208x39	520x250x60	10,00
1483KHD3RB	3	523x257x300	455x208x39	520x250x60	11,00
1483KHD4RB	4	523x257x353	455x208x39	520x250x60	12,00



1483K2RB



1483K3RB



1483KHD3RB



1483KHD4RB

FEATURES & BENEFITS



100% opening drawers



Aluminium plate reinforcement of lid



Strong lateral handles for easy transport



Under lid grid for tool holding clips



Lid handle for transport in confined spaces




Drawer blocking system

151
PCS

1483KHD3RB-FF2

Aviation Mechanics
Suitable for all **large** airplanes.
Especially for line maintenance.
Inch. Sizes: ¼, ½



144
PCS

1483KHD3RB-FF1

Aviation Mechanics
Suitable for all **large** airplanes.
Especially for line maintenance.
Inch. Sizes: ¼, ½



141
PCS

1483KHD3RB-FF5


Aviation Mechanics
Suitable for all airplanes.
Especially for line maintenance.
Inch. Sizes: ¼, ½



197
PCS

1483KHD3RB-FF3

General Purpose
Metric.
Sizes: ¼, ½




150
PCS



1483KHD3RB-FF4


General Purpose
Metric.
Sizes: ½




HIGH PROTECTION RIGID CASES



		Int. / Ext.		4750RCHD01	✓	✗	4	29,2	
		A	445 / 474						
		B	345 / 415						
		C	190 / 214						
		D	47						
4750RCHD01		E	143	4750RCHD011	✓	✗	6,5	29,2	
		tool pallet included							

	Int. / Ext.		✓	✓	6	31,0
	A	517 / 546				
	B	277 / 347				
	C	217 / 247				
	D	50				
4750RCHDW01		E	167			

	Int. / Ext.		✗	✓	10	53,01
	A	538 / 627				
	B	405 / 475				
	C	250 / 292				
	D	60				
4750RCHDW02		E	190			

INDESTRUCTIBLE AND DURABLE

Made of injected copolymer polypropylene structural resin.

This type of material makes the case extremely resistant to chemical corrosion, water, dust and excessive pressure. The technology and the use of components such as the manual pressure valve ensures that the items inside the case will be perfectly protected under any extreme conditions.



Air pressure valve



Stackable



Wheels
4750RCHDW01 &
4750RCHDW02



Lockable



Shoulder strap
4750RCHD01



Telescopic handle
4750RCHDW01 &
4750RCHDW02



Handle and
identification badge



Latches

ACCESSORIES

Removable Lid Panel



4750RCHD01AC1
Accessory for 4750RCHD01

4750RCHDW01AC1
Accessory for 4750RCHDW01

Removable Padded Bag:



4750RCHD01AC2
Accessory for 4750RCHD01

4750RCHDW01AC2
Accessory for 4750RCHDW01

TSA approved Lock



4750RCHD-AC1
Accessory for all
4750RCHD cases

HIGH PROTECTION RIGID CASE COMPOSITIONS

The application range of these cases is wide. They are extensively used in Aerospace, Military, Electronic Equipment, etc. together with their corresponding tool panels or foam inlays.

Bahco offers tool solutions which cover and comply with the following applications:

241
PCS



4750RCHDW01

Aviation Mechanics,
especially for mobile
application.
Metric & inch. Sizes: 1/4, 3/8



FF2B01



FF2B02



FF2B03



FF2B04



FF2B05



FF2B06

194
PCS



4750RCHDW01

General maintenance workers,
especially for mobile application but
also suitable for all airplanes.
Metric & inch. Sizes: 1/4, 3/8



FF2B12



FF2B13



FF2B14



FF2B15



FF2B16

151
PCS



4750RCHDW01

Aviation Mechanics,
especially for mobile
application. Suitable for all airplanes.
Inch. Sizes: 1/4, 3/8



FF2B07



FF2B08



FF2B09




FF2B10



FF2B11

FLY WITH BOARD TOOL CASES

160
PCS



4750RCHDW01

Aviation Mechanics,
especially for mobile application.
Suitable for all airplanes.
Inch. Sizes: 1/4, 3/8



FF2A07



FF2A08



FF2A09



FF2A10



RIGID CASES



TELESCOPIC HANDLES
AND WHEELS

4750RCW01
4750RCW011

2 METAL LOCKS
WITH KEY

2 METAL LID SAFETY
SUPPORT BARS

RUBBER STRIPS
FOR TOOL HOLDING

3 METAL
HINGES

RUBBER COATED
HEAVY DUTY HANDLES

SPACE FOR
DOCUMENTS

BOTTOM AREA WITH
REMOVABLE DIVIDERS

IDENTIFICATION
LABEL



4750RCW01 / 4750RCW011 4750RC02 / 4750RC021



4750RC02
and 4750RCW01
Plastic Pouches



4750RC021
and 4750RCW011
Rubber Strips



4750RC01



SOCKET SETS

Bahco socket sets are all equipped with high quality tools, available in metal cases that are shock-proof and resistant to extreme temperatures. The sets are available as small, basic sets as well as large combined socket and wrench sets designed to fulfil the most demanding jobs. All tools included in the sets are made of high-performance alloy steel and comply with ISO/DIN standards.

7819HNRE	1	450 x 185 x 50	5725
7819JE	1	450 x 185 x 50	5585
6715MGS	1	223 x 113 x 41	1105
6715GJ	1	223 x 113 x 41	1370




1/2" 7819HNRE	1/2" 7819JE	1/4" 6715MGS	1/4" 6715GJ
7800SM 10 11 12 13 14 15 16 17 19 22 24 27 30 32 mm 	7800SM 10 11 12 13 14 15 17 19 22 24 27 30 mm 	6700SM 4 4.5 5 5.5 6 7 8 9 10 11 13 mm 	6700SM 4 4.5 5 5.5 6 7 8 9 10 11 12 13 mm
8155-1/2 	8155-1/2 	6950RN 	6950
8154-1/2 	8154-1/2 - 300 mm 	6956 	6956
8160-1/2 - 125 mm 	7809F 	6954 	6954
8162-1/2 - 250 mm 	1.2x8 1.6x10 mm 	6962 - 150 mm 	6709F 0.6x4.5 1.0x5.5 1.2x8 mm
8166-1/2 	7809PH - PH 2 3 	6966 	6709PH - PH 1 2 3
	7809M 5 6 7 8 10 12 14 mm 		6709M 3 4 5 6 8 mm
	8160-1/2 - 125 mm 		6960 - 50 mm
	8166-1/2 		6962 - 150 mm
			6966






ICON INDEX



Product reference



EAN code



Parcel dimensions mm



Package quantity



Pieces



Product weight kg



Trolley dimensions



Drawer height mm



Interior dimensions mm



Number of trays or drawers



Capacity per tray



Wheels



Max capacity



Metallic Case dimensions



Upper tray dimensions mm



Rigid Case dimensions



Rigid Case dimensions



Capacity liters



On wheels w/ telescopic handle



Stackable



Robust protection standards



Corrosion proof



Water proof



Cabin size



High & low temperature proof



Air pressure valve



www.bahco.com